

# 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 1 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



以下測試樣品係由客戶送樣，且由客戶聲稱並經客戶確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : RF COAXIAL CABLE  
樣品型號(Style/Item No.) : RG-316/U, RG-178B/U, RG178B/U OD:1.48mm, RG-405A, MINI RF 1.13mm, MINI RF 1.32mm, MINI RF 1.37mm, MINI RF 0.8mm ( 黑, 棕, 灰, 白, 桔, 藍, 綠 )  
收件日期(Sample Receiving Date) : 2009/09/04 AND 2009/11/20  
測試期間(Testing Period) : 2009/09/04 TO 2009/09/11 AND 2009/11/20 TO 2009/11/26

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

結論(Conclusion) : 根據客戶所提供的樣品，其鎘、鉛、汞、六價鉻、多溴聯苯及多溴聯苯醚的測試結果符合RoHS(2002/95/EC)及其修定指令之要求 (Based upon the performed tests by submitted samples, the test results of Cadmium, Lead, Mercury, Hexavalent Chromium Cr(VI), PBBs and PBDEs **comply with** the limits of RoHS Directive 2002/95/EC and its subsequent amendments).

\* 此份報告為合併 CE/2009/91047 及 CE/2009/B5228 之報告 \*

(This report is combined with reports of CE/2009/91047 and CE/2009/B5228)

Chenyu Kung / Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.  
Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.  
台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 [www.sgs.com](http://www.sgs.com)

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 2 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



### 測試結果(Test Results)

測試部位(PART NAME) NO.1 : 銀色金屬線 (SILVER COLORED METAL WIRE (CE/2009/91047 NO.1))  
測試部位(PART NAME) NO.2 : 透明色塑膠 (TRANSPARENT PLASTIC (CE/2009/91047 NO.2))  
測試部位(PART NAME) NO.3 : 黑色塑膠外被 (BLACK PLASTIC JACKET (CE/2009/91047 NO.3))  
測試部位(PART NAME) NO.4 : 棕色塑膠外被 (BROWN PLASTIC JACKET (CE/2009/91047 NO.4))  
測試部位(PART NAME) NO.5 : 灰色塑膠外被 (GRAY PLASTIC JACKET (CE/2009/91047 NO.5))  
測試部位(PART NAME) NO.6 : 白色塑膠外被 (WHITE PLASTIC JACKET (CE/2009/91047 NO.6))  
測試部位(PART NAME) NO.7 : 橘色塑膠外被 (ORANGE PLASTIC JACKET (CE/2009/91047 NO.7))  
測試部位(PART NAME) NO.8 : 藍色塑膠外被 (BLUE PLASTIC JACKET (CE/2009/B5228 NO.1))  
測試部位(PART NAME) NO.9 : 綠色塑膠外被 (GREEN PLASTIC JACKET (CE/2009/B5228 NO.2))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.1	NO.2	NO.3	
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	1000

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.

除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 3 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.1	NO.2	NO.3	
六價鉻 / Hexavalent Chromium Cr(VI) by Spot test / boiling water extraction	**	參考IEC 62321: 2008方法, 用Spot test / boiling water extraction方法檢 測. / With reference to IEC 62321: 2008 and performed by Spot test / boiling water extraction Method. (See Note 5)	0.02mg/kg with 50 cm <sup>2</sup> surface area	Negative	---	---	#
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	參考IEC 62321: 2008方法, 用UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	---	n.d.	n.d.	1000
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	參考US EPA 3540C: 1996方 法, 以液相層析質譜儀檢測 全氟辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.	n.d.	n.d.	-
全氟辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	參考US EPA 3540C: 1996方 法, 以液相層析質譜儀檢測 全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.

除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 4 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.1	NO.2	NO.3	
鹵素 / Halogen							
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	605000	125000	-
鹵素 (氯) / Halogen-Chlorine (Cl) (CAS No.: 022537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
鹵素 (碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
多溴聯苯總和 / Sum of PBBs	mg/kg	參考IEC 62321: 2008方法, 以氣相層析儀/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.	n.d.	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	n.d.	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	n.d.	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	n.d.	n.d.	-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	n.d.	n.d.	-
五溴聯苯 / Pentabromobiphenyl			5	n.d.	n.d.	n.d.	-
六溴聯苯 / Hexabromobiphenyl			5	n.d.	n.d.	n.d.	-
七溴聯苯 / Heptabromobiphenyl			5	n.d.	n.d.	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	n.d.	n.d.	-
九溴聯苯 / Nonabromobiphenyl			5	n.d.	n.d.	n.d.	-
十溴聯苯 / Decabromobiphenyl	5	n.d.	n.d.	n.d.	-		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.

除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A    日期(Date) : 2009/11/26    頁數(Page) : 5 of 21

維揚科技工業股份有限公司  
 WEIYANG TECHNOLOGY CO., LTD.  
 台北縣土城市大同街13號1樓  
 NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI  
 HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.1	NO.2	NO.3	
多溴聯苯醚總和 / Sum of PBDEs	mg/kg	參考IEC 62321: 2008方法, 以氣相層析儀/質譜儀檢測。 / With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.	n.d.	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.	n.d.	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	n.d.	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.  
 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。  
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 6 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.4	NO.5	NO.6	
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	參考IEC 62321: 2008方法, 用UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	n.d.	n.d.	1000
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	參考US EPA 3540C: 1996方 法, 以液相層析質譜儀檢測 全氟辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.  
除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 7 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.4	NO.5	NO.6	
全氟辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	參考US EPA 3540C: 1996方法, 以液相層析質譜儀檢測全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.	n.d.	n.d.	-
鹵素 / Halogen							
鹵素(氟) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	153000	140000	423000	-
鹵素(氯) / Halogen-Chlorine (Cl) (CAS No.: 022537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
鹵素(溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
鹵素(碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 8 of 21

維揚科技工業股份有限公司  
 WEIYANG TECHNOLOGY CO., LTD.  
 台北縣土城市大同街13號1樓  
 NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI  
 HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result)			法規 限值 (Limit)
				NO.4	NO.5	NO.6	
多溴聯苯總和 / Sum of PBBs	mg/kg	參考IEC 62321: 2008方法, 以氣相層析儀/質譜儀檢測。 / With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.	n.d.	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	n.d.	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	n.d.	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	n.d.	n.d.	-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	n.d.	n.d.	-
五溴聯苯 / Pentabromobiphenyl			5	n.d.	n.d.	n.d.	-
六溴聯苯 / Hexabromobiphenyl			5	n.d.	n.d.	n.d.	-
七溴聯苯 / Heptabromobiphenyl			5	n.d.	n.d.	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	n.d.	n.d.	-
九溴聯苯 / Nonabromobiphenyl			5	n.d.	n.d.	n.d.	-
十溴聯苯 / Decabromobiphenyl			5	n.d.	n.d.	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs			-	n.d.	n.d.	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.	n.d.	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	n.d.	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.  
 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。  
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 9 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果(Result)			法規 限值 (Limit)
				NO.7	NO.8	NO.9	
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	100
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	1000
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應耦合電漿原子發射光 譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	n.d.	n.d.	1000
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	參考IEC 62321: 2008方法, 用UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.	n.d.	n.d.	1000
全氟辛烷磺酸 / Perfluorooctane sulfonates (PFOS) PFOS — Acid PFOS — Metal Salt PFOS — Amide	mg/kg	參考US EPA 3540C: 1996方 法, 以液相層析質譜儀檢測 全氟辛烷磺酸含量. / With reference to US EPA 3540C: 1996 method for PFOS Content. Analysis was performed by LC/MS.	10	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.  
除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.  
台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 www.sgs.com

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 10 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果(Result)			法規 限值 (Limit)
				NO.7	NO.8	NO.9	
全氟辛酸(銨) / PFOA (CAS No.: 000335-67-1)	mg/kg	參考US EPA 3540C: 1996方法, 以液相層析質譜儀檢測全氟辛酸(銨)含量. / With reference to US EPA 3540C: 1996 method for PFOA Content. Analysis was performed by LC/MS.	10	n.d.	n.d.	n.d.	-
鹵素 / Halogen							
鹵素(氟) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	668000	713000	670000	-
鹵素(氯) / Halogen-Chlorine (Cl) (CAS No.: 022537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
鹵素(溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-
鹵素(碘) / Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 11 of 21

維揚科技工業股份有限公司  
 WEIYANG TECHNOLOGY CO., LTD.  
 台北縣土城市大同街13號1樓  
 NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI  
 HSIEN, TAIWAN



測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果(Result)			法規 限值 (Limit)
				NO.7	NO.8	NO.9	
多溴聯苯總和 / Sum of PBBs	mg/kg	參考IEC 62321: 2008方法, 以氣相層析儀/質譜儀檢測。 / With reference to IEC 62321: 2008 and performed by GC/MS.	-	n.d.	n.d.	n.d.	1000
一溴聯苯 / Monobromobiphenyl			5	n.d.	n.d.	n.d.	-
二溴聯苯 / Dibromobiphenyl			5	n.d.	n.d.	n.d.	-
三溴聯苯 / Tribromobiphenyl			5	n.d.	n.d.	n.d.	-
四溴聯苯 / Tetrabromobiphenyl			5	n.d.	n.d.	n.d.	-
五溴聯苯 / Pentabromobiphenyl			5	n.d.	n.d.	n.d.	-
六溴聯苯 / Hexabromobiphenyl			5	n.d.	n.d.	n.d.	-
七溴聯苯 / Heptabromobiphenyl			5	n.d.	n.d.	n.d.	-
八溴聯苯 / Octabromobiphenyl			5	n.d.	n.d.	n.d.	-
九溴聯苯 / Nonabromobiphenyl			5	n.d.	n.d.	n.d.	-
十溴聯苯 / Decabromobiphenyl			5	n.d.	n.d.	n.d.	-
多溴聯苯醚總和 / Sum of PBDEs			-	n.d.	n.d.	n.d.	1000
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.	n.d.	n.d.	-
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.	n.d.	n.d.	-
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.	n.d.	n.d.	-
四溴聯苯醚 / Tetrabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
五溴聯苯醚 / Pentabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
六溴聯苯醚 / Hexabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.	n.d.	n.d.	-
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.	n.d.	n.d.	-

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.  
 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。  
 This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 12 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



### 備註(Note) :

1. mg/kg = ppm ; 0.1wt% = 1000ppm
2. n.d. = Not Detected (未檢出)
3. MDL = Method Detection Limit (方法偵測極限值)
4. \*\* = Qualitative analysis (No Unit) 定性分析(無單位)
5. Spot-test:  
Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),  
Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);  
The tested sample should be further verified by boiling-water-extraction method if the spot test result cannot be confirmed.  
(當該測項無法確認時, 測試樣品可藉由boiling-water-extraction測試方法進一步確認)  
Boiling-water-extraction:  
Negative = Absence of Cr(VI) coating / surface layer(鍍層中偵測不到六價鉻),  
Positive = Presence of Cr(VI) coating / surface layer(鍍層中偵測到六價鉻);  
the detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm<sup>2</sup> sample surface area.  
該溶液濃度 $\geq$ 0.02 mg/kg with 50 cm<sup>2</sup> (sample surface area)
6. # = Positive indicates the presence of Cr(VI) on the tested areas and result be regarded as not comply with RoHS requirement. (Positive表示測試區域之六價鉻不符合RoHS要求)  
Negative indicates the absence of Cr(VI) on the tested areas and result be regarded as comply with RoHS requirement. (Negative表示測試區域之六價鉻符合RoHS要求)
7. "-" = Not Regulated (無規格值)
8. "---" = Not Conducted (未測項目)

### PFOS參考資訊(Reference Information) : 指令 2006/122/EC (Directive 2006/122/EC)

- (1) 該物質不可置於市場上或使用於特殊物質或配置成分重量濃度等於或大於0.005%。  
(May not be placed on the market or used as a substance or constituent of preparations in a concentration equal to or higher than 0.005 % by mass.)
- (2) 該物質不可置於市場上的半成品或商品或其物件; 假若零件上明顯地具有PFOS並參照結構上及微細構造上計算PFOS重量濃度等於或大於0.1%, 而紡織品或其他覆蓋物質, 如果PFOS在覆蓋物質中含量等於或大於1 $\mu$ g/m<sup>2</sup>.  
(May not be placed on the market in semi-finished products or articles, or parts thereof, if the concentration of PFOS is equal to or higher than 0.1 % by mass calculated with reference to the mass of structurally or microstructurally distinct parts that contain PFOS or, for textiles or other coated materials, if the amount of PFOS is equal to or higher than 1 $\mu$ g/m<sup>2</sup> of the coated material.)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.  
除非另有說明, 此報告結果僅對測試之樣品負責。本報告未經本公司書面許可, 不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 13 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.


台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



- 1) 根據以下的流程圖之條件，樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr<sup>6+</sup> test method excluded)
- 2) 測試人員：楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告

## Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 14 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN




### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 1) 測試人員：翁賜彬 / Name of the person who made measurement: Roman Wong  
2) 測試負責人：陳新智 / Name of the person in charge of measurement: Shinjyh Chen

初次測試程序 / First testing process ———→

選擇性篩檢程序 / Optional screen process .....→

確認程序 / Confirmation process - - - - -→



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

# 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 15 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓


NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



## 全氟辛酸(銨)/全氟辛烷磺酸分析流程圖 / Analytical flow chart of PFOA/PFOS content

- 1) 測試人員：劉家瑗 / Name of the person who made measurement: Carrie Liu
- 2) 測試負責人：陳新智 / Name of the person in charge of measurement: Shinjyh Chen



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



# 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 16 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓


NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



## 鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員：陳立倫 / Name of the person who made measurement: Alan Chen
- 2) 測試負責人：張啓興 / Name of the person in charge of measurement: Troy Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 17 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試部位(PART NAME) NO.1



測試部位(PART NAME) NO.2



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 18 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試部位(PART NAME) NO.3



測試部位(PART NAME) NO.4



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 19 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試部位(PART NAME) NO.5



測試部位(PART NAME) NO.6



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 20 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI  
HSIEN, TAIWAN



測試部位(PART NAME) NO.7



測試部位(PART NAME) NO.8



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

## 測試報告 Test Report

號碼(No.) : CE/2009/B5228A 日期(Date) : 2009/11/26 頁數(Page) : 21 of 21

維揚科技工業股份有限公司

WEIYANG TECHNOLOGY CO., LTD.

台北縣土城市大同街13號1樓

NO. 13, DATUNG STREET, TUCHENG INDUSTRIAL DISTRICT, TAIPEI

HSIEN, TAIWAN



測試部位(PART NAME) NO.9



\*\* 報告結尾(End of Report) \*\*

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明，此報告結果僅對測試之樣品負責。本報告未經本公司書面許可，不可部分複製。

This Test Report is issued by the Company under its General Conditions of Service printed overleaf or available on request and accessible at [http://www.sgs.com/terms\\_and\\_conditions.htm](http://www.sgs.com/terms_and_conditions.htm). Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this Test Report is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.  
台灣檢驗科技股份有限公司 Chemical-Taipei 33 WuChyuan Road, Wuku Industrial Zone, Taipei County, Taiwan /台北縣五股工業區五權路33號 t + 886 (02)2299 3279 f + 886 (02)2299 3237 [www.sgs.com](http://www.sgs.com)